EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	1	("2002058270").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/02/02 14:50
S2	3225	370/342.ccls. and (@rlad<"20030129" or @ad<"20030129" or @ptad<"20030129")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 17:55
S3	149	S2 and (tdd and FDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/20 14:54
S4	112	S2 and (tdd with FDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:22
S5	3231	370/342.ccls. and (@rlad<"20030129" or @ad<"20030129" or @ptad<"20030129")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:46
S6	112	S5 and (tdd with FDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:23
S7	0	S6 and ((FDD and TDD) near1 (encoder or decoder)) and diplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:23
S8	0	S6 and ((FDD and TDD) near1 (encoder or decoder))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:23
S9	0	S6 and ((FDD and TDD) near1 (encode or decode))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:24

S10	1	S6 and ((FDD and TDD) with (encod$3 or decod$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:26
S11	6	S6 and ((FDD or TDD) with (encod$3 or decod$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:27
S12	0	S6 and ((FDD or TDD) adj (encod$3 or decod$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:27
S13	3	S6 and ((FDD or TDD) near2 (encod$3 or decod$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:34
S14	3	S11 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 12:43
S18	384	both with (FDD and TDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 15:04
S19	1	("20040252659").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/24 15:07
S20	2	(("6269086") or ("20020024937")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/24 15:20
S24	1	("20010055288").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/24 19:14
S25	2	("0975184").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/24 19:14

S26	0	("EP975184").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/24 19:14
S27	0	("EP975184").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2007/01/24 19:15
S28	8	method with (allocating and resources and allocation and scheme and therefor)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/24 19:18
S29	24	(370/280.ccls. and 370/281.ccls.) and (@rlad<"20030129" or @ad<"20030129" or @ptad<"20030129")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/25 20:35
S30	437	((forward or uplink) and (reverse or downlink)) with (FDD and TDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/25 20:38
S31	8	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/25 20:35
S32	431	((forward or uplink) with (reverse or downlink)) with (FDD and TDD)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/25 20:38
S33	15	((TDD with FDD) same guard) and (@rlad<"20030129" or @ad<"20030129" or @ptad<"20030129")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 14:51
S34	120	((TDD with FDD) same resource) and (@rlad<"20030129" or @ad<"20030129" or @ptad<"20030129")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 14:52
S36	38	((TDD with FDD) with resource) and (@rlad<"20030129" or @ad<"20030129" or @ptad<"20030129")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 15:10

S37	13	S36 and guard	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 15:11
S38	1	((time adj slot) and close and area) with (guard adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 17:55
S39	455	((time adj slot)) with (guard adj time)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 17:55
S40	148	370/455.ccls. and (@rlad<"20030129" or @ad<"20030129" or @ptad<"20030129")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 17:56
S41	0	S40 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 17:56
S42	658	370/458.ccls. and (@rlad<"20030129" or @ad<"20030129" or @ptad<"20030129")	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 18:50
S43	12	S42 and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 17:58
S44	46	(assign$4 with (time adj slot)) same ((close or "near" or proximity) with (BS or (base adj station)))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 18:04
S45	2533	(assign$4 with (time adj slot)) with (mobile station)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 18:05
S46	839	((time adj slot adj assign$4)) with (mobile station)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 18:06

S47	2	S46 with (distance near3 (base adj station))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 18:06
S48	2	S42 and assigning near3 based	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	ON	2007/01/31 18:59